

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1-21. (Canceled)

22. **(Currently Amended)** A one-use dispensing device for separately storing, dispensing, and applying proportional amounts of two substances, comprising:
a respective flexible receptacle for each substance; and
a line of fold extending over the device between the receptacles;
wherein each of the receptacles has a circular base and a flat circular upper surface, wherein a diameter of the upper surface is smaller than a diameter at the base;
wherein said device being foldable about said line of fold so that the receptacles are superimposed;
wherein a rupturable outlet is defined for each receptacle;
wherein said outlets converge towards the line of fold; and
wherein said receptacles include indicia indicating where a thumb and forefinger of a user should be positioned to allow for substantially complete evacuation of the receptacle through the outlet;
whereby when the device is folded about said line of fold, said outlets are superposed for dispensing and mixing the substances when the receptacles are squeezed; and
whereby the device is configured to be manipulated by a user in a one-handed operation to dispense the two substances.

23. **(Currently Amended)** A dispensing device as defined in Claim 22, wherein said receptacles are disposed such that one of said receptacles on one side of the line of fold is a transposed ~~minor~~ mirror image of the other receptacle on the other side of the line of fold and said receptacles are substantially equidistant from the line of fold.

24. (Previously presented) A dispensing device as defined in Claim 23, wherein each of said outlets includes a weakened region.

25. (Previously presented) A dispensing device as defined in Claim 22, wherein each of said outlets includes a weakened region which comprises a tear line.

26. (Previously presented) A dispensing device as defined in Claim 22, wherein there is a scored or vacuum formed tear line which leads to a weakened region of the outlet.

27. **(Currently Amended)** A dispensing device as defined in Claim 22, wherein each outlet is adapted to comprise a narrow orifice intermediate the length of the outlet such that when its respective receptacle is squeezed by the user said respective substance contained therein will burst through ~~said~~ a weakened region of the outlet.

28. (Canceled)

29. (Previously presented) A dispensing device as defined in Claim 22, wherein said device comprises two flexible laminae positioned adjacent one another and sealed together so as to define said two receptacles.

30. (Previously presented) A dispensing device as defined in Claim 29, wherein the laminae are selected from a group comprising foil, polyethylene, polypropylene, polyvinyl chloride, polyvinyl acetate and foil coated with polypropylene.

31. (Previously presented) A dispensing device as defined in claim 29, wherein each of the laminae are composed of different materials.

32. (Previously presented) A dispensing device as defined in claim 22, wherein upon said substances being squeezed from said device and meeting, said substances undergo a chemical or physical reaction.

33. (Previously presented) A dispensing device as defined in Claim 22, wherein one of said two receptacles contains an epoxy and the other of said two receptacles contains a hardener.

34. (Previously presented) A dispensing device as defined in Claim 22, wherein the receptacles contain foodstuffs.

35. (Previously presented) A dispensing device as defined in Claim 22, wherein the receptacles contain materials selected from a group comprising pharmaceuticals, other liquids, pastes and gels used in medical or dental work.

36. (Previously presented) A dispensing device as defined in Claim 22, wherein said device is adapted to be folded and manipulated by a user in a one-handed operation such that said outlets are easily aligned and said substances contained within said receptacles are simultaneously dispensed, mixed and proportionately applied.

37. (Previously presented) A dispensing device as defined in Claim 22, wherein said outlets are positioned at or adjacent to the side edges of the dispensing device.

38. (Previously presented) The dispensing device according to claim 22, wherein the two substances are epoxy and a hardener.

39. **(Currently Amended)** A dispensing device as defined in ~~Claim 36~~claim 38, wherein said device is adapted to be folded and manipulated by a user in a one-handed operation such that the outlets are easily aligned ~~and~~and the epoxy and hardener are simultaneously dispensed, mixed and proportionately applied.

40. **(Currently Amended)** A dispensing device as defined in claim 22, wherein said outlets are disposed such that one of said outlets on one side of the line of fold is a transposed ~~minor-mirror~~ image of the other outlet on the other side of the line of fold and said outlets are substantially equidistant from the line of fold, whereby the substances are dispensed and mixed when the receptacles are squeezed.

41. **(New)** A dispensing device as defined in Claim 22, wherein the receptacles are approximately 7.5 mm in radius at their base and approximately 5mm at their top.